



Specifications of PowerCan Pure DIN Series Forklift Batteries

Battery Type	Nominal capacity and discharge rate in 5 hours		Nominal capacity and discharge rate in 6 hours		Maximum Dimension (mm)			Weight with Electrolyte(± 5% Kg)
	Capacity (Ah)	Current (A)	Capacity (Ah)	Current (A)	Length	Width	Height	
2PzS160	160	32	166	28	47	198	435	9.8
3PzS240	240	48	250	42	65	198	435	14
4PzS320	320	64	333	55	83	198	435	18.1
5PzS400	400	80	416	69	101	198	435	22.6
6PzS480	480	96	499	83	119	198	435	26.6
7PzS560	560	112	582	97	137	198	435	31.1
8PzS640	640	128	666	111	155	198	435	35.2
9PzS720	720	144	749	125	174	198	435	42.1
10PzS800	800	160	832	139	192	198	435	46.8
2PzS180	180	36	187	31	47	198	505	12.3
3PzS270	270	54	281	47	65	198	505	17.1
4PzS360	360	72	374	62	83	198	505	21.9
5PzS450	450	90	468	78	101	198	505	26.7
6PzS540	540	108	562	94	119	198	505	31.5
7PzS630	630	126	655	109	137	198	505	36.3
8PzS720	720	144	749	125	155	198	505	41.2
9PzS810	810	162	842	140	174	198	505	46.1
10PzS900	900	180	936	156	192	198	505	50.9
2PzS210	210	42	218	36	47	198	547	13
3PzS315	315	63	328	55	65	198	547	18
4PzS420	420	84	437	73	83	198	547	23.1
5PzS525	525	105	546	91	101	198	547	28.3
6PzS630	630	126	655	109	119	198	547	33.2
7PzS835	835	167	868	145	137	198	547	38.1
8PzS940	940	188	978	163	155	198	547	43.1
9PzS1045	1045	209	1087	181	174	198	547	48.3
10PzS1050	1050	210	1092	182	192	198	547	53.3



2PzS230	230	46	239	40	47	198	574	13.6
3PzS345	345	69	359	60	65	198	574	19.4
4PzS460	460	92	478	80	83	198	574	25.2
5PzS575	575	115	598	100	101	198	574	31.1
6PzS690	690	138	718	120	119	198	574	36.9
7PzS805	805	161	837	140	137	198	574	42.7
8PzS920	920	184	957	159	155	198	574	48.6
9PzS1035	1035	207	1076	179	174	198	574	54.3
10PzS1150	1150	230	1196	199	192	198	574	60.2
2PzS250	250	50	260	43	47	198	600	14.7
3PzS375	375	75	390	65	65	198	600	20.5
4PzS500	500	100	520	87	83	198	600	26.5
5PzS625	625	125	650	108	101	198	600	32.3
6PzS750	750	150	780	130	119	198	600	38.1
7PzS875	875	175	910	152	137	198	600	44
8PzS1000	1000	200	1040	173	155	198	600	49.8
9PzS1125	1125	225	1170	195	174	198	600	55.8
10PzS1250	1250	250	1300	217	192	198	600	61.6
2PzS280	280	56	291	49	47	198	715	19.1
3PzS420	420	84	437	73	65	198	715	25.4
4PzS560	560	112	582	97	83	198	715	32.9
5PzS700	700	140	728	121	101	198	715	39.9
6PzS840	840	168	874	146	119	198	715	47.2
7PzS980	980	196	1019	170	137	198	715	54.8
8PzS1120	1120	224	1165	194	155	198	715	62.3
9PzS1260	1260	252	1310	218	174	198	715	71
10PzS1400	1400	280	1456	243	192	198	715	76.7
2PzS310	310	62	322	54	47	198	750	18.1
3PzS465	465	93	484	81	65	198	750	25.1
4PzS620	620	124	645	107	83	198	750	32.2
5PzS775	775	155	806	134	101	198	750	39.2



6PzS930	930	186	967	161	119	198	750	46.2
7PzS1085	1085	217	1128	188	137	198	750	53.2
8PzS1240	1240	248	1290	215	155	198	750	60.3
9PzS1395	1395	279	1451	242	174	198	750	67.4
10PzS1550	1550	310	1612	269	192	198	750	74.5