

## Specifications of Powercan Pure BS Series Forklift Batteries

Battery Type	Nominal capacity and discharge rate in 5 hours		Nominal capacity and discharge rate in 6 hours		Maximum Dimension (mm)			Weight with Electrolyte(± 5% Kg)
	Capacity (Ah)	Current (A)	Capacity (Ah)	Current (A)	Length	Width	Height	
2PzB110	110	22	114	19	45	157.5	420	7.8
3PzB165	165	33	172	29	61	157.5	420	10.2
4PzB220	220	44	229	38	77	157.5	420	12.9
5PzB275	275	55	286	48	93	157.5	420	15.3
6PzB330	330	66	343	57	109	157.5	420	18.3
7PzB385	385	77	400	67	125	157.5	420	21.1
8PzB435	435	87	452	75	141	157.5	420	23.8
9PzB475	475	95	494	82	157	157.5	420	26.5
10PzB550	550	110	572	95	173	157.5	420	29.3
2PzB120	120	24	125	21	45	157.5	453	8.5
3PzB180	180	36	187	31	61	157.5	453	11.5
4PzB240	240	48	250	42	77	157.5	453	14.6
5PzB300	300	60	312	52	93	157.5	453	17.7
6PzB360	360	72	374	62	109	157.5	453	20.8
7PzB420	420	84	437	73	125	157.5	453	23.9
8PzB480	480	96	499	83	141	157.5	453	27
9PzB540	540	108	562	94	157	157.5	453	30.1
10PzB600	600	120	624	104	173	157.5	453	33.1
2PzB130	130	26	135	23	45	157.5	484	8.7
3PzB195	195	39	203	34	61	157.5	484	11.8
4PzB260	260	52	270	45	77	157.5	484	14.9
5PzB325	325	65	338	56	93	157.5	484	17.7
6PzB390	390	78	406	68	109	157.5	484	21.1
7PzB455	455	91	473	79	125	157.5	484	24.3
8PzB520	520	104	541	90	141	157.5	484	27.4
9PzS585	585	117	608	101	157	157.5	484	30.5
10PzB650	650	130	676	113	173	157.5	484	33.6
2PzB150	150	30	156	26	45	157.5	541	9.9



2PzB210	210	42	218	36	45	157.5	710	13.5
3PzB315	315	63	328	55	61	157.5	710	18.4
4PzB420	420	84	437	73	77	157.5	710	23.3
5PzB525	525	105	546	91	93	157.5	710	27.8
6PzB630	630	126	655	109	109	157.5	710	33.2
7PzB735	735	147	764	127	125	157.5	710	38.2
8PzB840	840	168	874	146	141	157.5	710	43.2
9PzB945	945	189	983	164	157	157.5	710	48.1
0PzB1050	1050	210	1092	182	173	157.5	710	51.1
2PzB220	220	44	229	38	45	157.5	718	14.1
3PzB330	330	66	343	57	61	157.5	718	19.3
4PzB440	440	88	458	76	77	157.5	718	24.5
5PzB550	550	110	572	95	93	157.5	718	29.7
6PzB660	660	132	686	114	109	157.5	718	34.9
7PzB770	770	154	801	133	125	157.5	718	39.8
8PzB880	880	176	915	153	141	157.5	718	45.4
9PzB990	990	198	1030	172	157	157.5	718	50.6
10PzB1100	1100	220	1144	191	173	157.5	718	55.7